A2.A.75: Law of Sines - The Ambiguous Case: Determine the solution(s) from	m
the SSA situation (ambiguous case)	

	the SSA situation (ambiguous case)		
1	In $\triangle ABC$, $\mathbf{m} \angle A = 74$, $a = 59.2$, and $c = 60.3$. the <i>nearest tenth</i> ? 1) 73.7 and 106.3 2) 73.7 and 163.7	3)	at are the two possible values for $m \angle C$, to 78.3 and 101.7 78.3 and 168.3
2	How many distinct triangles can be formed 1) 1 2) 2	if m 3) 4)	3
3	How many distinct triangles can be formed 1) 1 2) 2	3) 4)	3
4	What is the total number of distinct triangle and $m\angle A = 36$? 1) 1 2) 2	3) 4)	3
5	If the measure of $\angle A = 40^\circ$, $a = 5$, and $b = 6$, constucted? 1) 1 2) 2	3) 4)	3
6	In $\triangle DEF$, $d = 5$, $e = 8$, and $m \angle D = 32$. How these measurements? 1) 1 2) 2	3) 4)	3
7	Sam is designing a triangular piece for a m sides of the piece are 40 inches and 15 inches measures 120°. Martha decides to sketch to different triangles can she sketch that matched 1) 1 2) 2	nes, a	and the angle opposite the 40-inch side lece that Sam described. How many m's description?
8	An architect commissions a contractor to p describes the window as $\triangle ABC$, where m/2. How many distinct triangles can the contra 1) 1 2) 2	A = 5 ctor 3)	0, $BC = 10$ inches, and $AB = 12$ inches.

Regents Exam Questions A2.A.75: Law of Sines – The A	Ambiguous Case 1
www.jmap.org	

Page 2

9 Sam needs to cut a triangle out of a sheet of paper. The only requirements that Sam must follow are that one of the angles must be 60°, the side opposite the 60° angle must be 40 centimeters, and one of the other sides must be 15 centimeters. How many different triangles can Sam make?

1) 1

3) 3

2) 2

4) 0

Regents Exam Questions A2.A.75: Law of Sines – The Ambiguous Case 1

$$\frac{59.2}{\sin 74} = \frac{60.3}{\sin C} \quad 180 - 78.3 = 101.7$$

$$C \approx 78.3$$

REF: 081006a2


2 ANS: 2

$$\frac{10}{\sin 35} = \frac{13}{\sin B} \quad . \quad 35 + 48 < 180$$
$$B \approx 48,132 \quad 35 + 132 < 180$$

$$B \approx 48,132$$

REF: 011113a2


3 ANS: 2



C ≈ 49°

REF: 080414b

4 ANS: 2



$$\frac{\sin 36^{\circ}}{\sin 36^{\circ}} = \frac{\sin B}{\sin B}$$
$$B \approx 73^{\circ}$$

or
$$B \approx 107^{\circ} (180^{\circ} - 73^{\circ})$$

REF: 080519b

5 ANS: 2

$$\frac{5}{\sin 40} = \frac{6}{\sin B} \qquad 50.5 + 40 < 180$$

$$B = 50.5 \text{ or } 129.5 \qquad 129.5 + 40 < 180$$

REF: 061011b

6 ANS: 2


$$\frac{5}{\sin 32} = \frac{8}{\sin E} \qquad 57.98 + 32 < 180$$
$$E \approx 57.98 \quad (180 - 57.98) + 32 < 180$$

Regents Exam Questions A2.A.75: Law of Sines –The Ambiguous Case 1 www.jmap.org

REF: 011419a2

7 ANS: 1

The triangle has an obtuse angle of 120°, and may not have a second obtuse angle. Check if one triangle




is possible.

or
$$C \approx 161^{\circ} (180^{\circ} - 19^{\circ})$$

REF: 060416b


8 ANS: 2



$$\frac{10}{\sin 50^{\circ}} = \frac{12}{\sin C}$$
$$C \approx 67^{\circ}$$

REF: 080311b

9 ANS: 1



REF: 060620b